Amendments to the Claims:

1. (Currently Amended) A compound of the formula (I):

wherein R1 represents

 \mathbb{R}^5 represents a hydroxy group or an alkylsulfonylamino group having from 1 to 6 carbon atoms:

 R^6 represents a hydrogen atom, a halogen atom, an alkyl group having from 1 to 6 carbon atoms, an alkenyl group having from 2 to 6 carbon atoms, an alkoxy group having from 1 to 6 carbon atoms or, when Z represents a carbon atom and R^6 is ortho to Z, R^6 and Z taken together may form a fused phenyl group or a saturated or partially unsaturated cyclic ring having from 4 to 7 carbon atoms;

Z represents a carbon atom or a nitrogen atom;

 ${\bf R}^2$ represents a hydrogen atom or a hydroxy group or ${\bf R}^2$ forms a covalent bond with ring A:

R³ represents a hydrogen atom or an alkyl group having from 1 to 6 carbon atoms:

A represents a <u>substituted or unsubstituted cycloalkylene group having from 3 to 8 carbon atoms</u>, or an heterocyclic group having from 4 to 8 atoms which consists of at least one carbon atom and from 1 to 2 nitrogen atoms wherein the substituent is at least one group selected from alkyl groups having from 1 to 6 carbon atoms or oxo groups.

a cycloalkylene group having from 3 to 10 carbon atoms or a heterocyclic group having from 4 to 10 atoms;

X represents a covalent bond, an alkylene group having from 1 to 3 carbon atoms, an

alkenylene group having from 2 to 3 carbon atoms, a heteroalkylene group having from 2 to 3 atoms, wherein one of said atoms is replaced by a sulfur atom, an oxygen atom, imino, imino substituted with an alkyl group having from 1 to 6 carbon atoms or a sulfonyl group, a cycloalkylene group having from 3 to 10 carbon atoms or a heterocyclic group having from 4 to 10 atoms;

R⁴ represents an aryl group having from 6 to 10 carbon atoms, a heteroaryl group having from 5 to 10 atoms:

said alkylene groups, alkenylene groups, heteroalkylene groups, cycloalkylene groups and heterocyclic groups are unsubstituted or are substituted by at least one substituent selected from the group consisting of substituents a:

said aryl groups having from 6 to 10 carbon atoms and said heteroaryl groups having from 5 to 10 atoms are unsubstituted or are substituted by at least one substituent selected from the group consisting of substituents B:

said substituents α are selected from the group consisting of alkyl groups having from 1 to 6 carbon atoms, cyano groups, alkanoylamino groups having from 1 to 7 carbon atoms, oxo groups or aryl groups having from 6 to 10 carbon atoms defined above; said substituents β are selected from the atom consisting of halogen atoms, alkyl groups having from 1 to 6 carbon atoms, alkoxy groups having from 1 to 6 carbon atoms, haloalkyl groups having from 1 to 6 carbon atoms, alkylthio groups having from 1 to 6 carbon atoms, alkynthio groups having from 1 to 6 carbon atoms, alkynthio groups having from 1 to 6 carbon atoms, alkynthio groups having from 1 to 6 carbon atoms, alkynthio groups having from 1 to 7 carbon atoms, hydroxy groups, cyano groups, aryl groups having from 6 to 10 carbon atoms defined above or heteroaryl groups having from 5 to 10 atoms defined above;

with the proviso that said aryl groups having from 6 to 10 carbon atoms and said heteroaryl groups having from 5 to 10 atoms in said substituents α and β are not substituted by an aryl group having from 6 to 10 carbon atoms or heteroaryl groups having from 5 to 10 atoms;

or a pharmaceutically acceptable ester of such compound; or a pharmaceutically acceptable salt thereof.

2. (Previously presented) A compound according to Claim 1, wherein:

- Z represents a carbon atom;
- R5 represents a hydroxy group; and
- ${\bf R}^{\bf 6}$ represents a hydrogen atom, a halogen atom or an alkyl group having from 1 to 6 carbon atoms
- (Original) A compound according to Claim 1, wherein R² represents a hydrogen atom or a hydroxy group.
- (Original) A compound according to Claim 1, wherein R³ represents a hydrogen atom or a methyl group.
- (Canceled)
- (Original) A compound according to Claim 1, wherein A represents a cyclohexyl group, a cyclohexenyl group or a piperidinyl group.
- 7. (Original) A compound according to Claim 1, wherein A represents a cyclohexyl group.
- (Currently amended) A compound according to Claim 1, wherein X represents an alkylene group having from 1 to 3 carbon atoms, a heteroalkylene group having from 2 to 3 atoms, wherein one of said atoms is replaced by a sulfur atom or an oxygen atom.
- (Original) A compound according to Claim 1, wherein X represents an alkylene group having from 1 to 3 carbon atoms or a heteroalkylene group having from 2 to 3 atoms, wherein one of said atoms is replaced by a sulfur atom.
- 10. (Original) A compound of formula (Ia)

wherein

A' represents CH, C(OH), or N;

X' represents ethylene, oxymethylene, methyleneoxy, or methylenethio; and R^8 represents one or two groups independently selected from hydrogen atoms, alkyl groups having from 1 to 6 carbon atoms and halogen atoms or a pharmaceutically acceptable ester of such compound;

or a pharmaceutically acceptable salt thereof.

- 11. (Original) A compound according to Claim 1, wherein R⁴ represents a phenyl group, optionally substituted by at least one substituent selected from the group consisting of halogen atoms or alkyl groups having from 1 to 6 carbon atoms.
- (Previously presented) A compound according to Claim 1 selected from: N-[cis-4-Hydroxy-4-(5-hydroxypyridin-2-yl)cyclohexyl]-3-phenylpropanamide hydrochloride;

3-(4-Chlorophenyl)-*N*-[*cis*-4-hydroxy-4-(5-hydroxypyridin-2-yl)cyclohexyl] propanamide;

N-[*cis*-4-Hydroxy-4-(5-hydroxypyridin-2-yl)cyclohexyl]-*N*-methyl-3-phenylpropanamide;

N-[trans-4-(5-Hydroxypyridin-2-yl)cyclohexyl]-3-phenylpropanamide hydrochloride; N-[trans-4-(5-Hydroxypyridin-2-yl)cyclohexyl]-N-methyl-3-phenylpropanamide hydrochloride;

3-(2,4-dichlorophenyl)-*N*-[*cis*-4-hydroxy-4-(5-hydroxypyridin-2-yl)cyclohexyl]propanamide;

- N-[cis-4-hydroxy-4-(5-hydroxypyridin-2-yl)cyclohexyl]-3-(4-methylphenyl)propanamide;
- 3-(2-fluorophenyl)-N-[cis-4-hydroxy-4-(5-hydroxypyridin-2-
- yl)cyclohexyl]propanamide;
- 3-(2-fluorophenyl)-N-[trans-4-(5-hydroxypyridin-2-yl)cyclohexyl]propanamide;
- 3-(4-fluorophenyl)-N-[trans-4-(5-hydroxypyridin-2-yl)cyclohexyl]propanamide;
- N-[trans-4-(5-hydroxypyridin-2-yl)cyclohexyl]-2-(phenylthio)acetamide;
- 3-(4-ethylphenyl)-N-[trans-4-(5-hydroxypyridin-2-yl)cyclohexyl]propanamide;
- 3-(2-chlorophenyl)-N-[trans-4-(5-hydroxypyridin-2-yl)cyclohexyl]propanamide;
- 3-(4-chlorophenyl)-N-[trans-4-(5-hydroxypyridin-2-yl)cyclohexyl]propanamide;
- 3-(4-methylphenyl)-N-[trans-4-(5-hydroxypyridin-2-yl)cyclohexyl]propanamide;
- 3-(2-fluorophenyl)-N-[cis-4-hydroxy-4-(5-hydroxypyridin-2-yl)cyclohexyl]-N-methylpropanamide:
- N-[4-(5-Hydroxypyridin-2-yl)cyclohex-3-en-1-yl]-3-phenylpropanamide;
- 2-fluorobenzyl;
- [cis-4-hydroxy-4-(5-hydroxypyridin-2-yl)cyclohexyl]methylcarbamate;
- benzyl [cis-4-hydroxy-4-(5-hydroxypyridin-2-vl)cyclohexyl]methylcarbamate;
- 3-(2-fluor ophenyl)- N-[1-(5-hydroxypyridin-2-yl)piperidin-4-yl] propanamide; and
- N-[1-(5-hydroxypyridin-2-yl)piperidin-4-yl]-3-(4-methylphenyl)propanamide; or a pharmaceutically acceptable salt thereof.
- 13. (Previously Presented) A pharmaceutical composition for the treatment of pain, in a mammalian subject, which comprises a therapeutically effective amount of a compound according to claim 1, or a pharmaceutically acceptable ester of such compound, or a pharmaceutically acceptable salt thereof, and a suitable pharmaceutically acceptable carrier.
- 14. (Withdrawn) A method for the treatment of disease conditions caused by overactivation of NMDA NR2B receptor, in a mammalian subject, which comprises administering to

said subject a therapeutically effective amount of a compound according to claim 1, or a pharmaceutically acceptable ester of such compound, or a pharmaceutically acceptable salt thereof.

- 15. (Previously Presented) A pharmaceutical composition for the treatment of pain, in a mammalian subject, which comprises a therapeutically effective amount of a compound according to claim 10, or a pharmaceutically acceptable ester of such compound, or a pharmaceutically acceptable salt thereof, and a suitable pharmaceutically acceptable carrier.
- 16. (Previously presented) A pharmaceutical composition, which comprises a therapeutically effective amount of a compound according to claim 1, or a pharmaceutically acceptable ester of such compound, or a pharmaceutically acceptable salt thereof, and a suitable pharmaceutically acceptable carrier.